EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1145	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L2	1145	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L3	27395	(valu$3 identif$5 key$2 index$3) near5 (node$3) near5 (calculat$3 determin$3 identif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L4	26	metric$3 near5 nod$3 near4 (descript$4 describ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L5	426	(decid$3 determin$3) near5 nod$3 near4 (descript$4 describ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L6	1145	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
L7	65	metric$3 near5 nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:25
L8	5617	first near5 user near5 nam$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:26

EAST Search History

L9	1881	second near5 user near5 nam$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:26
L10	0	second near5 user near5 nam$3 near5 datastructure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:27
L11	3	second near5 user near5 nam$3 near5 data near5 structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:26
L12	1881	second near5 user near5 nam$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:27
L13	941	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:27
L14	12	6 and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:27
L15	12	14 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:27
L16	35	(attribut$3 valu$3 assign$3 descrip$4) near5 nod$3 near5 data near5 metric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:29
L17	1	15 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:30

EAST Search History

S1	950	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S2	18	metric$3 near5 nod$3 near4 (descript$4 describ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S3	951	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S4	137	S3 and (valu$3 identif$5 key$2 index$3) near5 (node$3) near5 (calculat$3 determin$3 identif$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S5	106	S4 and (@ad<"20040329")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 10:14
S6	13	S5 and (assign$3 near5 valu$3 near5 nod$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 10:15
S7	356	(decid$3 determin$3) near5 nod$3 near4 (descript$4 describ$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S8	3924	(decid$3 determin$3) near5 nod$3 near4 (value$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 14:20
S9	951	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/16 14:20

EAST Search History

S10	1001	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:24
S11	9	S10 and metric$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:45
S12	8	S11 and nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:46
S13	6	S10 and metric$3 near5 valu$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:42
S14	9	S10 and metri$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:43
S15	2491	data near5 (nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:15
S16	21	S15 and metric$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:50
S17	17	S16 and nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:55
S18	1576	data near5 (nod$3) near5 (nam$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:50

EAST Search History

S19	21	S15 and metri$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:50
S20	16	S18 and metri$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:53
S21	12	S18 and metri$3 near5 valu$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:54
S22	70	S18 and metri$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 17:55
S23	53	S22 and nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:10
S24	56	metric$3 near5 nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:25
S25	1001	S10 and (tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:11
S26	1	S24 and (tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:11
S27	245	data near5 metric$3 near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:14

EAST Search History

S28	144	S27 and nod$3 near5 (access$3 creat$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:15
S29	1	S10 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:15
S30	6	S28 and data near5 (nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:15
S31	22	S27 and data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/22 18:16
S32	81	(data informtion record$3) near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4 valu$3) near5 metri$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:16
S33	39	S32 and (metri$3 nod$3) near5 (creat$3 modif$3 edit$3 access$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/23 10:17
S34	84416	data near5 nod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:52
S35	23974	S34 and (attribut$3 valu$3 assign$3) near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:42
S36	2088	S34 and (attribut$3 valu$3 assign$3 descript$3 describ$4) near5 nod$3 near5 (edit$3 access$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:27

EAST Search History

S37	21	S36 and (attribut$3 valu$3 assign$3 descript$3 describ$4) near5 nod$3 near5 (metric$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:40
S38	3087	(attribut$3 valu$3 assign$3 descript$3 describ$4) near5 nod$3 near5 (edit$3 access$3 modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:27
S39	28	S38 and (attribut$3 valu$3 assign$3 descript$3 describ$4) near5 nod$3 near5 (metric$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:36
S40	80	S38 and nod$3 near5 (metric$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:54
S41	61	S40 and data near5 nod$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:37
S42	36	S41 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:54
S43	31	(attribut$3 valu$3 assign$3 descrip$4) near5 nod$3 near5 data near5 metric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/07 14:29
S44	31	(attribut$3 value$5 assign$3 descrip$4) near5 nod$3 near5 data near5 metric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:46
S45	2	(nam$3) near5 nod$3 near5 data near5 metric$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:47

EAST Search History

S46	1678	(nam$3) near5 nod$3 near5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:47
S47	11	S38 and (metric$3) near5 (nod$3) near5 (access$3 edit$ modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:41
S48	8728	data near5 nod$2 near5 (nam$3 value$3 describ$5 descript$4 attribut$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:58
S49	47255	nod$2 near5 (chang$3 updat$3 modif$3 cop$3 edit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:53
S50	3964	S48 aND S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:53
S51	93	S50 and nod$3 near5 (metric$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:54
S52	345	S50 and (metric$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:54
S53	64	S51 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 15:11
S54	35	data near5 nod$2 near5 (nam$3 value$3 describ$5 descript$4 attribut$3) NEAR5 METRIC$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 13:58

EAST Search History

S55	11	(US-20030187812-$ or US-20050216430-$ or US-20050036487-$ or US-20030236783-$).did. or (US-7096228-$ or US-6714936-$ or US-6377945-$ or US-6976211-$ or US-6415283-$ or US-7047297-$).did. or (US-20050216430-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:01
S56	3	S55 and time$3 near5 access$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:41
S57	219	metric$3 near5 nod$3 near5 information$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:06
S58	151	S49 and metric$3 near5 nod$3 near5 information$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:06
S59	98	S58 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:42
S60	2088	S36 and (attribut$3 valu$3 assign$3 descript$3 describ$4) near5 nod$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:40
S61	2033	S60 and (nod$3) near5 (access$3 edit$ modif$3 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:41
S62	377	S61 and time$3 near5 access$3 near5 nod$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:42
S63	279	S62 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 14:42
S64	13	S63 and time$3 near5 (modif$3 edit$3) near5 nod$3	US-PGPUB; USPAT; DERWENT	OR	ON	2007/07/27 14:43
S65	1829	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4 valu$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 15:07

EAST Search History

S66	2019	(tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4 valu$3 assign$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:18
S67	122	S66 and (nam$3 descript$4 valu$3 assign$3) near5 nod$3 near5 (edit$4 modif$3 access$3 cop$3 frequen$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:17
S68	91	S67 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:18
S69	74	S68 and (nam$3 descript$4 valu$3 assign$3) near5 nod$3 near5 (propert$5 valu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:16
S70	30629	(nam$3 descript$4 valu$3 assign$3) near5 nod$3 near5 (propert$5 valu$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:16
S71	2121	S70 and (nam$3 descript$4 valu$3 assign$3) near5 nod$3 near5 (edit$4 modif$3 access$3 cop$3 frequen$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:23
S72	1602	S71 and @ad<"20040301"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:18
S73	74	S72 and (tree$2 hierarch$5) near5 data near5 (structur$3 schema$3 nod$3) near5 (nam$3 descript$4 valu$3 assign$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:19
S74	28	S73 and (nod$3 near5 cop$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:19

EAST Search History

S75	258	S70 and (nam$3 descript$4 valu$3 assign$3) near5 nod$3 near5 (edit$4 modif$3 access$3 cop$3 frequen$5) near5 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:25
S76	5	S75 and user$3 near5 access$3 near5 frequen$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:26
S77	11	S75 and user$3 near5 access$3 near5 number$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 16:26

Search Results

Results for "((node <and> structure <and> name <and> first <and> user <and> second ..."
Your search matched **1** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

1. **A Fast Interactive Sequential Pattern Mining Algorithm Based on Memory Indexing**
   Jia-Dong Ren; Jun-Sheng Zong;
   Machine Learning and Cybernetics, 2006 International Conference on
   Aug. 2006 Page(s):1082 - 1087
   Digital Object Identifier 10.1109/ICMLC.2006.258564
   AbstractPlus | Full Text: PDF(217 KB) IEEE CNF
   Rights and Permissions

Results for **"((node <and> structure <and> name <and> first <and> user)<in>metadata)"**
Your search matched **2** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

Modify Search

((node <and> structure <and> name <and> first <and> user)<in>metadata) Search

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

IEEE/IET Books Educational Courses Application Not

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items Select All Deselect All

☐ 1. **A Fast Interactive Sequential Pattern Mining Algorithm Based on Memory Indexing**
Jia-Dong Ren; Jun-Sheng Zong;
Machine Learning and Cybernetics, 2006 International Conference on
Aug. 2006 Page(s):1082 - 1087
Digital Object Identifier 10.1109/ICMLC.2006.258564
AbstractPlus | Full Text: PDF(217 KB) IEEE CNF
Rights and Permissions

☐ 2. **XPLC: A Novel Protocol for Concurrency Control in XML Databases**
Izadi, Kamyar; Asadi, Fatemeh; Haghjoo, Mostfa S.;
Computer Systems and Applications, 2007. AICCSA '07. IEEE/ACS International Conference
13-16 May 2007 Page(s):450 - 453
Digital Object Identifier 10.1109/AICCSA.2007.370920
AbstractPlus | Full Text: PDF(260 KB) IEEE CNF
Rights and Permissions

☐ Search Results

Results for "((node <and> structure <and> name <and> first <and> user <and> second)..."
Your search matched **1** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

1. **A Fast Interactive Sequential Pattern Mining Algorithm Based on Memory Indexing**
   Jia-Dong Ren; Jun-Sheng Zong;
   Machine Learning and Cybernetics, 2006 International Conference on
   Aug. 2006 Page(s):1082 - 1087
   Digital Object Identifier 10.1109/ICMLC.2006.258564
   AbstractPlus | Full Text: PDF(217 KB) IEEE CNF
   Rights and Permissions

☐ Search Results

Results for "((node <and> structure <and> name <and> first <and> user <and> second ..."
Your search matched **0** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

Results for "**((node <and> structure <and> name <and> first <and> user <and> second ...**"
Your search matched **0** of **1701526** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Terms used:
node structure name first user second description

Found **1** of **215,737**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

1 Data modeling in DELAB

Yannis E. Ioannidis, Miron Livny

June 1988 **ACM SIGMOD Record , Proceedings of the 1988 ACM SIGMOD international conference on Management of data SIGMOD '88**, Volume 17 Issue 3

Publisher: ACM Press

Full text available: pdf(170.43 KB) Additional Information: full citation, abstract, index terms

As the size and complexity of processing and manufacturing systems increases, the need for Database Management Systems (DBMS) that meet the special needs of studies that experiment with such systems becomes more current. System analysts who study the performance of modern processing systems have to manipulate large amounts of data in order to profile the behavior of the system. They have to identify the relationship between the properties of a compound system and a wide spectrum of performa ...

Results 1 - 1 of 1

Terms used:
node structure name first user second description same

Found **1** of **215,737**

Sort results by: relevance
Display results: expanded form

Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 1 of 1

Relevance scale

1 Data modeling in DELAB

Yannis E. Ioannidis, Miron Livny
June 1988 **ACM SIGMOD Record , Proceedings of the 1988 ACM SIGMOD international conference on Management of data SIGMOD '88**, Volume 17 Issue 3
Publisher: ACM Press
Full text available: pdf(170.43 KB) Additional Information: full citation, abstract, index terms

As the size and complexity of processing and manufacturing systems increases, the need for Database Management Systems (DBMS) that meet the special needs of studies that experiment with such systems becomes more current. System analysts who study the performance of modern processing systems have to manipulate large amounts of data in order to profile the behavior of the system. They have to identify the relationship between the properties of a compound system and a wide spectrum of performa ...

Results 1 - 1 of 1

Nothing Found

Your search for **+abstract:node +abstract:structure +abstract:name +abstract:first +abstract:user +abstract:second +abstract:description +abstract:hierarchy** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

  ```
  sales offices
  ```

  You can also enter a full question or concept in plain language.

  ```
  Where are the sales offices?
  ```

- Capitalize proper nouns to search for specific people, places, or products.

  ```
  John Colter, Netscape Navigator
  ```

- Enclose a phrase in double quotes to search for that exact phrase.

  ```
  "museum of natural history" "museum of modern art"
  ```

- Narrow your searches by using a + if a search term must appear on a page.

  ```
  museum +art
  ```

- Exclude pages by using a - if a search term must not appear on a page.

  ```
  museum -Paris
  ```

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

```
museum +"natural history" dinosaur -Chicago
```

Nothing Found

Your search for **+abstract:node +abstract:structure +abstract:name +abstract:first +abstract:user +abstract:second +abstract:description +abstract:metric +abstract:valuation +abstract:flat** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

  ```
  sales offices
  ```

  You can also enter a full question or concept in plain language.

  ```
  Where are the sales offices?
  ```

- Capitalize proper nouns to search for specific people, places, or products.

  ```
  John Colter, Netscape Navigator
  ```

- Enclose a phrase in double quotes to search for that exact phrase.

  ```
  "museum of natural history" "museum of modern art"
  ```

- Narrow your searches by using a + if a search term must appear on a page.

  ```
  museum +art
  ```

- Exclude pages by using a - if a search term must not appear on a page.

  ```
  museum -Paris
  ```

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

```
museum +"natural history" dinosaur -Chicago
```

Web Results **1** - **10** of about **20,600 English** pages for **node structure name first user second description metric valuatio**

Did you mean: node structure name first ***used*** second description metric valuation flat

Generation of meaningful **names** in flattened hierarchical ...
For purposes of this general **description**, the **first** patent **node** 104 has a **first** .... Yet a **second user** "looking" at the same **structure** 300, with the same ...
www.freepatentsonline.com/20050216430.html - 63k - Cached - Similar pages

Method and system for generating a **valuation metric** based on ...
The **valuation** characteristic provides a system **user** with a **metric** that may be ..... [0069] The **structure** and/or operation of any of the GVC **node** controller ...
www.freepatentsonline.com/20060224486.html - 76k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Virtualizing Network I/O on End-Host Operating System: Operating ...
First, **users** can only remove leaf VIFs. **Second**, **users** can ..... implementations utilize just a **flat structure** for their queue ...
ieeexplore.ieee.org/iel5/12/29358/01327580.pdf?arnumber=1327580 - Similar pages

Journal of Economic Dynamics and Control : Two-factor convertible ...
First, in the **valuation** of convertible bonds, a partial differential ..... **description** of the dynamics of the observed term **structure**: the **first** way is to ...
linkinghub.elsevier.com/retrieve/pii/S0165188902000830 - Similar pages

[PDF] Evaluation of a single radio rural mesh network in South Africa
File Format: PDF/Adobe Acrobat - View as HTML
users range from **first** time **users** in poorer areas of the network .... **Description** of features of each mesh **node**. The **node** labels correspond with ...
wirelessafrica.meraka.org.za/wiki/images/3/3e/Peebles_mesh_ictd_india.pdf - Similar pages

JoSS: Journal of Social **Structure**
It is possible for the layout to enter a loop, where positioning one **node** worsens the position of **second**, which is then repositioned affecting the **first**, ...
www.cmu.edu/joss/content/articles/volume7/deMollMcFarland/ - 156k - Cached - Similar pages

[PDF] Using Factored Partially Observable Markov Decision Processes with ...
File Format: PDF/Adobe Acrobat - View as HTML
the **user** wants to travel to, or the **name** of the product a caller wants to buy) need. to be included in the set. u. S . • **Second**, the **user**'s action, ...
mi.eng.cam.ac.uk/~sjy/papers/wipy05a.pdf - Similar pages

[PDF] Attack Resistant Trust Metrics
File Format: PDF/Adobe Acrobat - View as HTML
Reiter and Stubblebine[30] presented the **first** trust **metric** with the ability to resist nontrivial ..... Domain **name** registrars issue **second** level domains ...
www.levien.com/thesis/compact.pdf - Similar pages

[PDF] An Access-Based Clustering Protocol for Multihop Wireless Ad Hoc ...
File Format: PDF/Adobe Acrobat - View as HTML
First, in the multihop environment, a cluster **structure**. facilitates the spatial reuse of ... mobile **users**. One is based on **node** ID and the other is based ...
camars.kaist.ac.kr/~hyoon/courses/cs712_2001fall/Ad-hoc/%5B04%5Daccess-basedclustering.pdf - Similar pages

Web Results **1** - **10** of about **19,900 English** pages for **node structure name first user second description metric valuatio**

Generation of meaningful **names** in flattened hierarchical ...
For purposes of this general **description**, the **first** patent **node** 104 has a **first** .... Yet a **second user** "looking" at the **same structure** 300, with the **same** ...
www.freepatentsonline.com/20050216430.html - 63k - Cached - Similar pages

Method and system for generating a **valuation metric** based on ...
The **valuation** characteristic provides a system **user** with a **metric** that may be ..... [0069] The **structure** and/or operation of any of the GVC **node** controller ...
www.freepatentsonline.com/20060224486.html - 76k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Grid Computing on Massively Multi-**User** Online Platform
is assigned to **node** 1 since they have the **same** hash number. .... Network Statistics - This **metric** can be further broken. down into several sub-metrics. ...
ieeexplore.ieee.org/iel5/4317769/4317770/04317809.pdf?arnumber=4317809 - Similar pages

Information Sciences : Semantic passage segmentation based on ...
We **first** introduce text segmentation methods developed for **flat** text with no .... Note that in the resulting topic hierarchy, the **node** with "Activity" is ...
linkinghub.elsevier.com/retrieve/pii/S0020025507001302 - Similar pages

[PDF] Evaluation of a single radio rural mesh network in South Africa
File Format: PDF/Adobe Acrobat - View as HTML
users range from **first** time **users** in poorer areas of the network .... **Description** of features of each mesh **node**. The **node** labels correspond with ...
wirelessafrica.meraka.org.za/wiki/images/3/3e/Peebles_mesh_ictd_india.pdf - Similar pages

JoSS: Journal of Social **Structure**
It is possible for the layout to enter a loop, where positioning one **node** worsens the position of **second**, which is then repositioned affecting the **first**, ...
www.cmu.edu/joss/content/articles/volume7/deMollMcFarland/ - 156k - Cached - Similar pages

[PDF] An Access-Based Clustering Protocol for Multihop Wireless Ad Hoc ...
File Format: PDF/Adobe Acrobat - View as HTML
First, in the multihop environment, a cluster **structure**. facilitates the spatial reuse of ... mobile **users**. One is based on **node** ID and the other is based ...
camars.kaist.ac.kr/~hyoon/courses/cs712_2001fall/Ad-hoc/%5B04%5Daccess-basedclustering.pdf - Similar pages

[PDF] Attack Resistant Trust Metrics
File Format: PDF/Adobe Acrobat - View as HTML
Reiter and Stubblebine[30] presented the **first** trust **metric** with the ability to resist nontrivial ..... Domain **name** registrars issue **second** level domains ...
www.levien.com/thesis/compact.pdf - Similar pages

Efficient Multicast Routing in Wireless Mesh Networks Connected to ...
node on this path uses the **same** prefix P and gateway G than. the **node** N. We detail this ... necessarily follow the tree **structure**. A detailed **description** of ...
portal.acm.org/ft_gateway.cfm?id=1142714&type=pdf - Similar pages

[PDF] Using Factored Partially Observable Markov Decision Processes with ...
File Format: PDF/Adobe Acrobat - View as HTML

Web Results **1** - **10** of about **19,800 English** pages for **time node structure name first user second description metric val**

Generation of meaningful **names** in flattened hierarchical ...
For purposes of this general **description**, the **first** patent **node** 104 has a **first** .... Yet a **second user** "looking" at the **same structure** 300, with the **same** ...
www.freepatentsonline.com/20050216430.html - 63k - Cached - Similar pages

Method and system for generating a **valuation metric** based on ...
The **valuation** characteristic provides a system **user** with a **metric** that may be ..... [0069] The **structure** and/or operation of any of the GVC **node** controller ...
www.freepatentsonline.com/20060224486.html - 76k - Cached - Similar pages
[More results from www.freepatentsonline.com]

Grid Computing on Massively Multi-**User** Online Platform
an overlay, a peer is a **node** which forms the fundamental. processing unit of a P2P application. ... can join multiple VOs at the **same time**. Consequently, it ...
ieeexplore.ieee.org/iel5/4317769/4317770/04317809.pdf?arnumber=4317809 - Similar pages

Journal of Economic Dynamics and Control : Two-factor convertible ...
For the **first time** in the convertibles' literature, we use a variant of Hull ..... **description** of the dynamics of the observed term **structure**: the **first** way ...
linkinghub.elsevier.com/retrieve/pii/S0165188902000830 - Similar pages

[PDF] Evaluation of a single radio rural mesh network in South Africa
File Format: PDF/Adobe Acrobat - View as HTML
users range from **first time users** in poorer areas of the network .... **Description** of features of each mesh **node**. The **node** labels correspond with ...
wirelessafrica.meraka.org.za/wiki/images/3/3e/Peebles_mesh_ictd_india.pdf - Similar pages

[PDF] A Routing Scheme for Content-Based Networking
File Format: PDF/Adobe Acrobat - View as HTML
it contains an attribute with the **same name** and type, and if ..... after **node** 4 has processed the RA. After this **first** RA gets. distributed, **node** 2 issues ...
www-serl.cs.colorado.edu/~carzanig/papers/crw_infocom04.pdf - Similar pages

JoSS: Journal of Social **Structure**
At the **same time**, visualization can provide a means for understanding specific ..... This is a problem for the **first** slice, and when a new **node** is added, ...
www.cmu.edu/joss/content/articles/volume7/deMollMcFarland/ - 156k - Cached - Similar pages

[PDF] An Access-Based Clustering Protocol for Multihop Wireless Ad Hoc ...
File Format: PDF/Adobe Acrobat - View as HTML
First, in the multihop environment, a cluster **structure**. facilitates the spatial reuse of ... mobile **users**. One is based on **node** ID and the other is based ...
camars.kaist.ac.kr/~hyoon/courses/cs712_2001fall/Ad-hoc/%5B04%5Daccess-basedclustering.pdf - Similar pages

[PDF] Attack Resistant Trust Metrics
File Format: PDF/Adobe Acrobat - View as HTML
Reiter and Stubblebine[30] presented the **first** trust **metric** with the ability ..... At the **same time**, if a delegated. **name** turns out to be improperly granted ...
www.levien.com/thesis/compact.pdf - Similar pages

[PDF] Using Factored Partially Observable Markov Decision Processes with ...